

ZYXEL

Zyxel NWA210BE 11530 Mbit/s Beyaz Ethernet üzerinden güç desteği (PoE)

Marka : Zyxel

Ürün kodu: NWA210BE-EU0101F


Ürün Adı : NWA210BE

Zyxel NWA210BE. 2.4 GHz, 5 GHz, 6 GHz, Maksimum veri aktarım hızı: 11530 Mbit/s. Güvenlik algoritması destekli: WEP, WPA, WPA2, WPA3. Ethernet LAN veri transfer hızı: 10,100,1000,2500 Mbit/s. Ethernet üzerinden güç desteği (PoE). Ürün rengi: Beyaz. Güç tüketimi (maksimum): 21,5 W



Özellikler		Enerji yönetimi	
2.4 GHz *	✓	DC voltaj aralık	15 V
5 GHz *	✓	Giriş akımı	2 A
6 GHz *	✓	Güç tüketimi (maksimum)	21,5 W
Maksimum veri aktarım hızı *	11530 Mbit/s	Tasarım	
Maksimum veri aktarım hızı (2,4 GHz)	688 Mbit/s	Yerleştirme *	Tavan
Maksimum veri aktarım hızı (5 GHz)	8646 Mbit/s	Ürün rengi *	Beyaz
Maksimum veri aktarma oranı (6 GHz)	11530 Mbit/s	Muhafaza malzemesi	Polikarbonat (PC)
Ethernet LAN veri transfer hızı	10,100,1000,2500 Mbit/s	Entegre açma/kapama düğmesi	✗
Ağ standardı	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x	Reset tuşu	✓
Kablo teknolojisi	10/100/1000Base-T(X)	WPS butonu	✗
MIMO	✓	İletişim LED göstergeleri	Veri, PoE, Güç, WLAN
VLAN desteği	✓	Anten	
Güvenlik		Anten tipi *	İç
Güvenlik algoritması destekli *	WEP, WPA, WPA2, WPA3	Anten yönü tipi	Her yöne
Yönetim özellikleri		Anten özellikleri	Entegre anten
Web-tabanlı yönetim	✓	Anten sayısı	4
Yükseltilebilir gömülü yazılım	✓	Anten kazanç seviyesi (max)	3,17 dBi
Bağlantı		Performans	
Ethernet LAN (RJ-45) port sayısı *	2	Dahili işlemci	✓
USB 2.0 bağlantı noktası sayısı *	1	Ağırlık & boyutlar	
USB bağlayıcı	USB C Tipi	Genişlik	250 mm
WAN bağlantı noktası	Ethernet (RJ-45)	Derinlik	160 mm
RS-232 bağlayıcı	✗	Yükseklik	47 mm
		Ağırlık	815 g
		Ambalajlama bilgisi	
		Ambalaj genişliği	279,5 mm

Bağlantı		Ambalajlama bilgisi	
Fiş içi DC	✓	Ambalaj derinliği	180,5 mm
Enerji yönetimi		Ambalaj yüksekliği	66 mm
Ethernet üzerinden güç desteği (PoE) *	✓	Paket ağırlığı	1,04 kg
Desteklenen Ethernet üzerinden Güç (PoE) tipi	Active PoE	Çevresel koşullar	
		Çalıştırma nem aralığı	10 - 95%
		Çalışma ısı aralığı	0 - 50 °C
		Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
		Çalışmama nemi	10 - 90%
		Lojistik veri	
		Uyumlu Sistem (HS) kodu	85176200



4718937638772

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.