

Eaton 9E3000I

Catalog Number: 9E3000I

Eaton 9E UPS, 3000 VA, 2400W, Input: C20, Output: (6) C13, (1) C19, Tower



Photo is representative

General specifications

Product Name	Catalog Number
Eaton 9E UPS	9E3000I
UPC	Product Length/Depth
786689166588	19 cm
Product Height	Product Width
33 cm	39.9 cm
Product Weight	Compliances
24.2 kg	CE Marked
	TUV
Certifications	
IEC/EN 62040-1	
IEC/EN 62040-2	
CE	
EAC	

Battery

Battery type

Sealed, lead-acid

Runtime graph

\$row.attributeValue.cdata

Battery replacement

Replacable batteries

Battery quantity

6

Battery management

Automatic battery test

Deep discharge protection

Battery rating

12 V / 9 Ah

Extended battery capability

Yes

Electrical output

Receptacle

(6) C13, (1) C19

Voltage

230V

Wattage

2400 W

Output power factor

0.8

Output voltage range

220/230/240 V +/- 2%

Output waveform

Sine wave

Output nominal voltage

230V default (220/230/240V)

Voltage distortion output (linear load) - max

3

Feed type

1

Topology

Online/Double-conversion

VA rating

3000 VA

Electrical input

Input connection

C20

Input nominal voltage

230V default (220/230/240V)

Nominal frequency

50/60 Hz

Input power factor

>.99

Input voltage range

176-300 V (100 V-300 V with derating)

Communications

Includes network card

No

Communication

USB port (HID compliant)

Serial port (RS232)

Communication slot

Ethernet interface

No

User interface

LCD Display

Input frequency range
40-70 Hz

Potential free switch contact
No

Expansion slots
One slot for optional communication card

Software compatibility
Eaton Intelligent Power Manager, Eaton Intelligent Power Protector

Type of interface
Other

Environmental

Additional specifications

Altitude
3000 m

Noise level
<37 dB at 1 meter

Temperature range
0° to 40°C (32° to 104°F)

Relative humidity
0-95% non-condensing

Construction type
Free standing model

Package contents

- UPS
- USB cable
- Serial cable
- Quickstart guide
- Safety instructions

Phase (output)
1

Internal bypass
Yes

Auto shutdown function
Yes

Color
Black

Efficiency
91

Rack mounting kit
No

Phase (input)
1

Hot swap power
No

Resources

Declarations of conformity

[EU Declaration of Conformity](#)

Manuals and user guides

[Eaton 9E 1kVA-3kVA UPS Eaton 9E EBM - Advance user guide](#)

Technical data sheets

[Eaton 9E UPS - Datasheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia