ASUS Prime -650B-BLACK güç kaynağı ünitesi 650 W 20+4 pin ATX ATX Siyah

Marka : ASUS **Ürün ailesi:** Prime **Ürün kodu:** 90YE00Y1-B0NA00

Ürün Adı : PRIME-650B-BLACK

ASUS Prime -650B-BLACK. Toplam güç: 650 W, AC girdi voltajı: 100 - 240 V, Güç Faktörü Düzeltme türü: Aktif. Analevha güç bağlantısı: 20+4 pin ATX, SATA güç kablosu uzunluğu: 120,400 mm, Periferik (Molex) güç kablosu uzunluğu: 120,400 mm. Amaç: PC, Güç kaynağı ünitesi (PSU) form faktörü: ATX, 80 PLUS sertifikasyonu: 80 PLUS Bronze. Ürün rengi: Siyah, Soğutma türü: Aktif, Fan çapı: 13,5 cm. Pakete dahil kablolar: AC, CPU, PCIe, Peripheral (Molex), SATA

Enerji yönetimi	
Toplam güç *	650 W
AC girdi voltajı *	100 - 240 V
Güç Faktörü Düzeltme türü	Aktif
Birleşik güç (+3.3V)	110 W
Birleşik güç (+12V)	648 W
Birleşik güç (+5V)	110 W
Birleşik güç (-12V)	3,6 W
Birleşik güç (+5Vsb)	12,5 W
Maksimum çıktı akımı (3.3V)	20 A
Maksimum çıktı akımı (+12V)	54 A
Maksimum çıktı akımı (+5V)	20 A
Maksimum çıktı akımı (-12V)	0,3 A
Maksimum çıktı akımı (+5Vsb)	2,5 A
güç koruma özellikleri	Aşırı akım, Aşırı güç, Aşırı voltaj, Aşırı ısınma, Kısa devre, Düşük voltaj

Bağlantı	
Analevha güç bağlantısı *	20+4 pin ATX
SATA güç bağlantısı sayısı	5
SATA güç kablosu uzunluğu	120,400 mm
Çevresel (Molex) güç bağlantıları (4-iğne) *	3
Periferik (Molex) güç kablosu uzunluğu	120,400 mm
PCI Express güç bağlantısı (8-iğne)	2
PCI Express güç kablosu uzunluğu	60 cm
CPU güç bağlantısı (4+4 iğne)	✔
CPU güç kablosu uzunluğu	80 cm

Bağlantı	
PCI Express bağlayıcısı	✔
Kablolama türü	Modüler değil

Performans	
80 PLUS sertifikasyonu *	80 PLUS Bronze
Amaç *	PC
Güç kaynağı ünitesi (PSU) form faktörü *	ATX
Soğutma barı türü	DBB
MTBF aralığı	120000 Saat

Tasarım	
Ürün rengi	Siyah
Soğutma türü	Aktif
Fan çapı	13,5 cm
Aydınlatme	✘

Paket içeriği	
Pakete dahil kablolar	AC, CPU, PCIe, Peripheral (Molex), SATA

Sertifikalar	
Uyumluluk sertifikaları	RoHS

Ağırlık & boyutlar	
Genişlik	150 mm
Derinlik	150 mm
Yükseklik	86 mm
Ağırlık	2,2 kg

Ambalajlama bilgisi	
Ambalaj genişliği	340 mm

Ambalajlama bilgisi	
Ambalaj derinliği	196 mm
Ambalaj yüksekliği	115 mm
Paket ağırlığı	3 kg
Ambalaj tipi	Kutu

4711387635285

0197105635289

197105635289

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date