

## Verbatim 32352 PDA/mobil telefon şarj aleti Evrensel Siyah AC Hızlı şarj Bina içi

Marka : Verbatim

Ürün kodu: 32352

Ürün Adı : 32352

Verbatim 32352. Şarj türü: Bina içi, Güç kaynağı türü: AC, Şarj uyumluluğu: Evrensel. Girdi voltajı: 100 - 240 V, Çıkış voltajı (maks): 20 V. USB Tip-C port sayısı: 2, Hızlı şarj, güç koruma özellikleri: Aşırı akım, Aşırı voltaj, Aşırı ısınma, Kısa devre. Ürün rengi: Siyah



| Performans                                  |                                                       | Enerji yönetimi                      |                 |
|---------------------------------------------|-------------------------------------------------------|--------------------------------------|-----------------|
| Şarj uyumluluğu *                           | Evrensel                                              | Çıkış akımı (12V)                    | 3 A             |
| Güç kaynağı türü *                          | AC                                                    | Çıkış akımı (15V)                    | 3 A             |
| USB 3.2 Gen 1 (3.1 Gen 1) Tip-A port sayısı | 1                                                     | Çıkış akımı (20V)                    | 3,25 A          |
| USB Tip-C port sayısı                       | 2                                                     | Port 1 çıkış akımı                   | 3,25 A          |
| Hızlı şarj                                  | ✓                                                     | Port 2 çıkış akımı                   | 3,25 A          |
| Hızlı şarj teknolojisi                      | Power Delivery 3.0, Quick Charge 3.0                  | Port 3 çıkış akımı                   | 3 A             |
| Şarj türü *                                 | Bina içi                                              | Priz türü                            | Tipi C          |
| Aynı anda bağlı cihaz sayısı (maksimum) *   | 3                                                     | Ağırlık & boyutlar                   |                 |
| Programlanabilir güç kaynağı                | ✓                                                     | Genişlik                             | 43,4 mm         |
| USB Güç Dağıtımı                            | ✓                                                     | Derinlik                             | 89 mm           |
| USB Güç Sağlama incelemesi                  | 3.0                                                   | Yükseklik                            | 31 mm           |
| ...'a kadar USB Güç Sağlama                 | 65 W                                                  | Ağırlık                              | 92 g            |
| güç koruma özellikleri                      | Aşırı akım, Aşırı voltaj, Aşırı ısınma, Kısa devre    | Ambalajlama bilgisi                  |                 |
| Tasarım                                     |                                                       | Ambalaj genişliği                    | 80 mm           |
| Ürün rengi *                                | Siyah                                                 | Ambalaj derinliği                    | 112 mm          |
| Muhafaza malzemesi                          | Akrilonitril bütadien stiren (ABS), Polikarbonat (PC) | Ambalaj yüksekliği                   | 43 mm           |
| İletişim LED göstergeleri                   | ✓                                                     | Paket ağırlığı                       | 135 g           |
| Tak ve kullan                               | ✓                                                     | Ambalaj tipi                         | Askılı kutu     |
| Galyum nitrat iletkenleri                   | ✓                                                     | Çevresel koşullar                    |                 |
| Enerji yönetimi                             |                                                       | Çalışma ısı aralığı                  | 0 - 35 °C       |
| Girdi voltajı                               | 100 - 240 V                                           | Depolama sıcaklığı aralığı (Celsius) | 0 - 35 °C       |
| Girdi frekansı                              | 50/60 Hz                                              | Çalıştırma nem aralığı               | 10 - 85%        |
| Giriş akımı                                 | 1.3 A                                                 | Paket içeriği                        |                 |
| Maksimum güç                                | 65 W                                                  | Paket başına miktar                  | 1 adet          |
| Çıkış voltajı (maks)                        | 20 V                                                  | Sertifikalar                         |                 |
| Çıkış voltajı (min)                         | 5 V                                                   | Uyumluluk sertifikaları              | CE, REACH, RoHS |
| Birinci port çıkış gücü                     | 65 W                                                  | Lojistik veri                        |                 |
| İkinci port çıkış gücü                      | 65 W                                                  | Garanti süresi                       | 1 Yıl           |
| Üçüncü port çıkış gücü                      | 18 W                                                  | Ana karton genişliği                 | 260 mm          |
| Çıkış akımı (5V)                            | 3 A                                                   | Mastır karton uzunluğu               | 480 mm          |
|                                             |                                                       | Ana karton uzunluğu                  | 230 mm          |
|                                             |                                                       | Mastır karton ağırlığı               | 7 kg            |

**Enerji yönetimi**

Çıkış akımı (9V)

3 A

**Lojistik veri**

Menşe ülkesi

Çin



0023942323525



023942323525

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.