MSI PRO MP225 E12VL PC düz ekran monitörü 54,5 cm (21.4") 1920 x 1080 Piksel Full HD kalitesi Siyah



Marka : MSI

Ürün kodu: PRO MP225 E12VL

Ürün Adı : PRO MP225 E12VL

MSI PRO MP225 E12VL. Ekran boyutu: 54,5 cm (21.4"), Ekran çözünürlüğü: 1920 x 1080 Piksel, HD türü: Full HD kalitesi, Yenileme yanıt süresi: 4 ms, Yerel açı oranı: 16:9. VESA montajı. Ürün rengi: Siyah

Ekran	
Ekran boyutu *	54,5 cm (21.4")
Ekran çözünürlüğü *	1920 x 1080 Piksel
HD türü *	Full HD kalitesi
Yerel açı oranı *	16:9
Panel tipi *	VA
Dokunmatik ekran *	✗
Yenileme yanıt süresi *	4 ms
Yanıt süresi ölçüm türü	GTG (Gray to Gray)
Yanıt süresi (MPRT)	1 ms
Yansımasız ekran	✓
Ekran şekli *	Düz
Kontrast oranı *	4000:1
Maksimum yenileme hızı *	120 Hz
Görüntülenen renk sayısı *	16.7 milyon renk

Performans	
NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Titreşimsiz teknoloji	✓
Düşük mavi ışık teknolojisi	✓

Multimedya	
Gömme hoparlörler *	✗
Dahili kamera *	✗

Tasarım	
Pazar konumlandırması *	İş
Ürün rengi *	Siyah

Bağlantı	
Yerleşik USB yuvası *	✗
VGA (D-Sub) bağlantı noktası sayısı	1
HDMI *	✓
DisplayPort	1

Ergonomi	
Mil	✗
Eğim ayarı	✓
Eğim açısı	-5 - 20°

Enerji yönetimi	
Enerji verimlilik sınıfı (SDR) *	E
Enerji verimlilik sınıfı (HDR) *	Mevcut değil
1000 saatlik enerji tüketimi (SDR) *	15 kWh
Güç tüketimi *	15 W
Güç tüketimi, etkin *	0,5 W
Güç tüketimi, kapalı	0,3 W
AC girdi voltajı	100 - 240 V
AC girdi frekansı	50/60 Hz
Güç kaynağı türü	İç

Ağırlık & boyutlar	
Genişlik (ayaklı)	492,8 mm
Derinlik (Ayaklı)	182,4 mm
Yükseklik (ayaklı)	378 mm
Ağırlık (standı ile birlikte)	2,4 kg
Genişlik (standsız	492,8 mm
Derinlik (standsız)	49,9 mm
Uzunluk (standsız)	283,1 mm

Ambalajlama bilgisi	
Ambalaj genişliği	567 mm
Ambalaj derinliği	120 mm
Ambalaj yüksekliği	365 mm
Paket ağırlığı	4,23 kg
Ambalaj tipi	Kutu

Paket içeriği	
Stand dahildir	✓
Pakete dahil kablolar	HDMI
Güç adaptörü dahil	✓

Publication date: 22-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Bağlantı	
DisplayPort versiyonu	1.4b
Kulaklık çıkışı *	✗

Ergonomi	
VESA montajı *	✔
Pano montaj arabirimi	100 x 100 mm
Kablo kilit yuvası *	✔
Yükseklik ayarı *	✗

Paket içeriği	
Hızlı başlangıç rehberi	✔

Teknik detaylar	
Yerel yenileme hızı	60 Hz

4711377402880

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 22-OCT-2026. Prints or copies of Information are only valid on the printed Publication date