ASUS Prime -750G güç kaynağı ünitesi 750 W 20+4 pin ATX ATX Siyah

Marka : ASUS **Ürün ailesi:** Prime **Ürün kodu:** 90YE00U3-B0NA00

Ürün Adı : PRIME-750G



ASUS Prime -750G. Toplam güç: 750 W, AC girdi voltajı: 100 - 240 V, Güç Faktörü Düzeltme türü: Aktif. Analevha güç bağlantısı: 20+4 pin ATX, Anakart güç kablosu uzunluğu: 60 cm, SATA güç kablosu uzunluğu: 400,120 mm. Amaç: PC, Güç kaynağı ünitesi (PSU) form faktörü: ATX, 80 PLUS sertifikasyonu: 80 PLUS Gold. Ürün rengi: Siyah, Soğutma türü: Aktif, Fan sayısı: 1 fan(lar). Pakete dahil kablolar: CPU, PCIe, Peripheral (Molex), SATA



Enerji yönetimi	
Toplam güç *	750 W
AC girdi voltajı *	100 - 240 V
Güç Faktörü Düzeltme türü	Aktif
Birleşik güç (+3.3V)	110 W
Birleşik güç (+12V)	744 W
Birleşik güç (+5V)	110 W
Birleşik güç (-12V)	3,6 W
Birleşik güç (+5Vsb)	12,5 W
Maksimum çıktı akımı (3.3V)	20 A
Maksimum çıktı akımı (+12V)	62 A
Maksimum çıktı akımı (+5V)	20 A
Maksimum çıktı akımı (-12V)	0,3 A
Maksimum çıktı akımı (+5Vsb)	2,5 A
güç koruma özellikleri	Aşırı akım, Aşırı güç, Aşırı voltaj, Aşırı ısınma, Kısa devre, Düşük voltaj

Bağlantı	
Analevha güç bağlantısı *	20+4 pin ATX
Anakart güç kablosu uzunluğu	60 cm
SATA güç bağlantısı sayısı	5
SATA güç kablosu uzunluğu	400,120 mm
Çevresel (Molex) güç bağlantıları (4-iğne) *	4
Periferik (Molex) güç kablosu uzunluğu	400,150 mm
PCI Express hız bağlantısı (6+2 iğne)	2
PCI Express güç konektörleri (16 pim)	1
PCI Express güç kablosu uzunluğu	60 cm

Bağlantı	
CPU güç bağlantısı (4+4 iğne)	✔
PCI Express bağlayıcısı	✔
Kablolama türü	Tamamen Modüler

Performans	
80 PLUS sertifikasyonu *	80 PLUS Gold
Amaç *	PC
Güç kaynağı ünitesi (PSU) form faktörü *	ATX
ATX versiyonu	3.1
Soğutma barı türü	DBB
MTBF aralığı	120000 Saat

Tasarım	
Ürün rengi	Siyah
Soğutma türü	Aktif
Fan sayısı	1 fan(lar)
Fan konumu	Tepe
Aydınlatme	✘
Entegre açma/kapama düğmesi	✔


Paket içeriği	
Pakete dahil kablolar	CPU, PCIe, Peripheral (Molex), SATA

Ağırlık & boyutlar	
Genişlik	150 mm
Derinlik	150 mm
Yükseklik	86 mm
Ağırlık	1,45 kg

Ambalajlama bilgisi	
Ambalaj genişliği	320 mm
Ambalaj derinliği	213 mm
Ambalaj yüksekliği	113 mm
Paket ağırlığı	2,74 kg
Ambalaj tipi	Kutu



4711636288354



0199291288355



199291288355

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 22-OCT-2026. Prints or copies of Information are only valid on the printed Publication date