TP-Link Tapo C245D Küresel IP güvenlik kamerası Bina içi 2304 x 1296 Piksel Tavan/duvar





Marka : TP-Link **Ürün ailesi:** Tapo **Ürün kodu:** TAPO C245D

Ürün Adı : C245D

TP-Link Tapo C245D. Tip: IP güvenlik kamerası, Montaj destekli: Bina içi, Bağlantı teknolojisi: Kablosuz. Sabitleme tipi: Tavan/duvar, Ürün rengi: Beyaz, Form faktörü: Küresel. Lens görüş açısı, yatay: 104.3°, Lens görüş açısı, dikey: 57.9°, Lens görüş açısı, çapraz: 121.8°. Sensör tipi: CMOS, CCD algılayıcı boyutu: 25,4 / 2,8 mm (1 / 2.8"). Dijital zum: 10,8x, Ayarlı odak noktası: 3,1 mm

Performans	
Tip *	IP güvenlik kamerası
Montaj destekli *	Bina içi
Bağlantı teknolojisi *	Kablosuz
Geniş Dinamik Aralık	✔
Gündüz/gece modu	✔
Tasarım	
Form faktörü *	Küresel
Sabitleme tipi *	Tavan/duvar
Ürün rengi *	Beyaz
Kamera	
Kamera döner kafa kontrolü	✔
Kamera eğim kontrolü	✔
Lens görüş açısı, yatay	104.3°
Lens görüş açısı, dikey	57.9°
Lens görüş açısı, çapraz	121.8°
Eğim açısı	0 - 70°
Yatay kaydırma alanı	0 - 340°
Görüntü sensörü	
CCD algılayıcı boyutu	25,4 / 2,8 mm (1 / 2.8")
Aşamalı tarama	✔
Sensör tipi *	CMOS
Lens sistemi	
Yakınlaştırma yeteneği	✔
Dijital zum	10,8x
Lens sayısı *	2
Maksimum açıklık	1,6

Ses	
Gömme hoparlörler	✔
Dahili ses	2-yönlü
Dahili mikrofon	✔
Ağ Bağlantıları	
Ethernet LAN bağlantısı *	✘
Ağ standartı	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi *	✔
Depolama birimi	
Dahili sabit disk *	✘
Entegre kart okuyucu	✔
Uyumlu hafıza kartları	MicroSD (TransFlash)
Maksimum Hafıza kartı büyüklüğü	512 GB
Bağlantı	
Fiş içi DC	✔
Güvenlik	
Video hareketi tespiti	✔
Güvenlik algoritması destekli	WPA2-PSK, WPA-PSK, WPA3-PSK
Yönetim özellikleri	
Bulut ile yönetilen *	✔
Reset tuşu	✔
Enerji yönetimi	
Güç kaynağı türü *	DC
DC çıkış voltajı	9

Lens sistemi	
Ayarlı odak noktası	3,1 mm

Gece görüşü	
Gece görüşü *	✔
Gece görüşü uzaklığı	12 m
LED tipi	IR
Işıklandırma LEDlerinin sayısı	6
İnfrared dalga boyu	850 nm

Video	
Maksimum çözünürlük *	2304 x 1296 Piksel
Toplam megapiksel *	3 MP
Film öçekim hızı	15 fps

Çevresel koşullar	
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-20 - 60 °C
Çalıştırma nem aralığı	10 - 90%
Çalışmama nemi	0 - 90%

Ağırlık & boyutlar	
Genişlik	82,2 mm
Derinlik	82,2 mm
Yükseklik	126,2 mm

Paket içeriği	
Kamera sayısı *	1
Monte desteği dahil	✔
Vidalar dahil	✔

1210002619134

1210002619141

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 22-OCT-2026. Prints or copies of Information are only valid on the printed Publication date