ZYXEL

Zyxel CX4800-56F Gözetilmiş L3 1U Siyah

Marka : Zyxel

Ürün kodu: CX4800-56F-EU0101F

Ürün Adı : CX4800-56F



Zyxel CX4800-56F. Anahtar tipi: Gözetilmiş, Anahtar katmanı: L3. Konsol girişi: RJ-45. Adres tablosu boyutu: 30000 Kayıt, Yönlendirme/geçiş kapasitesi: 4000 Gbit/s. Güç bağlantısı: AC/DC. Raf montajı, Form faktörü: 1U



Yönetim özellikleri	
Anahtar tipi *	Gözetilmiş
Anahtar katmanı	L3
Servis kalitesi (QoS) desteği	✔
Web-tabanlı yönetim	✔
Bulut ile yönetilen	✔
ARP denetimi	✔
Konum Ayarlarının Konfigürasyonu (CLI)	✔
Sistem olay günlüğü	✔
MIB desteği	✔

Bağlantı	
Temel açma kapama RJ-45 Ethernet giriş türü *	✘
USB A Tipi bağlantı noktası sayısı	2
Yönetim bağlantı noktası sayısı	1 adet
Konsol girişi	RJ-45
QSFP28 bağlantı noktası sayısı	8
SFP28 bağlantı noktası sayısı	48
Güç bağlantısı	AC/DC

Ağ Bağlantıları	
10G desteği *	✔
Bağlantı geçidi aynalama	✔
Politika tabanlı yönlendirme	✔
Akış kontrol desteği	✔
Bağlantı kümeleme	✔
Yayım akımı kontrolü	✔
Ağaç protokolü süresi	✔

Güvenlik	
Güvenlik algoritması destekli	SSH-2, SSL/TLS
MAC adres filtreleme	✔
SSH/SSL desteği	✔
Döngü koruması	✔

Çoğa gönderim özellikleri	
Multicast desteği	✔

Tasarım	
Raf montajı *	✔
Form faktörü	1U
Ürün rengi	Siyah
Reset tuşu	✔
İletişim LED göstergeleri	✔

Performans	
Hafıza tipi	RAM / Flash
Dahili hafıza	8000 MB
Flash bellek	64 MB
MTBF aralığı	5900181,1 Saat

Enerji yönetimi	
Güç kaynağı *	AC/DC
Güç kaynağı dahil *	✔
Güç kaynağı sayısı	2

Eternet üzerindeki Güç (PoE)	
Ethernet üzerinden güç desteği (PoE) *	✘

Ağ Bağlantıları	
VLAN desteği	✔

Veri aktarımı	
Yönlendirme/geçiş kapasitesi *	4000 Gbit/s
Adres tablosu boyutu *	30000 Kayıt
Statik yol	✔
Jumbo Frames desteği	✔
Jumbo çerçeveler	9000
Paket ara belleği	32 MB

Güvenlik	
DHCP özellikleri	DHCP relay, DHCP server, DHCP snooping
Bağlantı kontrol listesi (ACL)	✔
IGMP aramak	✔

Çevresel koşullar	
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-20 - 70 °C
Çalıştırma nem aralığı	10 - 95%
Çalışmama nemi	10 - 95%
Isı yayımı	1122 BTU/s

Ağırlık & boyutlar	
Genişlik	440 mm
Derinlik	489 mm
Yükseklik	45 mm
Ağırlık	8,62 kg

Paket içeriği	
Pakete dahil kablolar	AC
Raf montaj kiti	✔

Ambalajlama bilgisi	
Ambalaj tipi	Kutu
Ambalaj genişliği	595 mm
Ambalaj derinliği	706 mm
Ambalaj yüksekliği	206 mm

Lojistik veri	
Menşe ülkesi	Tayvan

4718937637034

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date