ASUS ROG -STRIX-1200P-GAMING-E güç kaynağı ünitesi 1200 W 20+4 pin ATX ATX Siyah, Çok renkli



Marka : ASUS **Ürün ailesi:** ROG **Ürün kodu:** 90YE00W6-B0NA00

Ürün Adı : ROG-STRIX-1200P-GAMING-E

ASUS ROG -STRIX-1200P-GAMING-E. Toplam güç: 1200 W, AC girdi voltajı: 100 - 240 V, Güç Faktörü Düzeltme türü: Aktif. Analevha güç bağlantısı: 20+4 pin ATX, Anakart güç kablosu uzunluğu: 61 cm, PCI Express güç kablosu uzunluğu: 75 cm. Amaç: PC, Güç kaynağı ünitesi (PSU) form faktörü: ATX, 80 PLUS sertifikasyonu: 80 PLUS Platinum. Ürün rengi: Siyah, Çok renkli, Soğutma türü: Aktif, Fan sayısı: 1 fan(lar). Pakete dahil kablolar: AC, CPU, PCIe, Peripheral (Molex), SATA



Enerji yönetimi	
Toplam güç *	1200 W
AC girdi voltajı *	100 - 240 V
Güç Faktörü Düzeltme türü	Aktif
Birleşik güç (+3.3V)	130 W
Birleşik güç (+12V)	1200 W
Birleşik güç (+5V)	130 W
Birleşik güç (-12V)	3,6 W
Birleşik güç (+5Vsb)	15 W
Maksimum çıktı akımı (3.3V)	25 A
Maksimum çıktı akımı (+12V)	100 A
Maksimum çıktı akımı (+5V)	25 A
Maksimum çıktı akımı (-12V)	0,3 A
Maksimum çıktı akımı (+5Vsb)	3 A
güç koruma özellikleri	Aşırı akım, Aşırı güç, Aşırı voltaj, Aşırı ısınma, Kısa devre, Düşük voltaj

Bağlantı	
Analevha güç bağlantısı *	20+4 pin ATX
Anakart güç kablosu uzunluğu	61 cm
SATA güç bağlantısı sayısı	6
Çevresel (Molex) güç bağlantıları (4-iğne) *	3
PCI Express hız bağlantısı (6+2 iğne)	4
PCI Express güç konektörleri (16 pim)	1
PCI Express güç kablosu uzunluğu	75 cm
CPU güç bağlantısı (4+4 iğne)	✔
CPU güç kablosu uzunluğu	100 cm

Bağlantı	
ATX güç bağlantısı (20+4 iğne)	✔
PCI Express bağlayıcısı	✔
Kablolama türü	Tamamen Modüler

Performans	
80 PLUS sertifikasyonu *	80 PLUS Platinum
Amaç *	PC
Güç kaynağı ünitesi (PSU) form faktörü *	ATX
ATX versiyonu	3.1
Gürültü seviyesi	25 dB
Soğutma barı türü	DBB
MTBF aralığı	120000 Saat

Tasarım	
Ürün rengi	Siyah, Çok renkli
Soğutma türü	Aktif
Fan sayısı	1 fan(lar)
Entegre açma/kapama düğmesi	✔

Paket içeriği	
Pakete dahil kablolar	AC, CPU, PCIe, Peripheral (Molex), SATA

Ağırlık & boyutlar	
Genişlik	160 mm
Derinlik	150 mm
Yükseklik	86 mm
Ağırlık	1,84 kg

Ambalajlama bilgisi	
Ambalaj genişliği	320 mm

Ambalajlama bilgisi	
Ambalaj derinliği	200 mm
Ambalaj yüksekliği	108 mm
Paket ağırlığı	3,65 kg
Ambalaj tipi	Kutu

4711636451116

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date