

TP-Link Omada ER605 kablolu yönlendirici Gigabit Ethernet Siyah

Marka : TP-Link

Ürün ailesi: Omada

Ürün kodu: ER605

Ürün Adı : ER605



TP-Link Omada ER605. Ağ standartı: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, Ethernet arayüz türü: Gigabit Ethernet, Kablo teknolojisi: 10/100/1000Base-T(X). Yönlendirme protokolü: RIP-1, RIP-2, Yönetim protokolleri: Telnet, Fiber kanal protokolleri: TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, HTTP, DNS, IPsec, PPTP, L2TP. Güvenlik algoritması destekli: 3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, Tasdik yöntemi: SHA-1, MD5, VPN desteği: • 20 IPsec VPN Tunnels • LAN-to-LAN, Client-to-LAN • Main, Aggressive Negotiation Mode • Uyumluluk sertifikaları: RoHS. Pakete dahil kablolar: AC

WAN bağlantıları		Güvenlik	
Ethernet WAN *	✓	VPN desteği	• 20 IPsec VPN Tunnels • LAN-to-LAN, Client-to-LAN • Main, Aggressive Negotiation Mode • DES, 3DES, AES128, AES192, AES256 Encryption Algorithm • IKEv1/v2 • MD5, SHA1 Authentication Algorithm • NAT Traversal (NAT-T) • Dead Peer Detection (DPD) • Perfect Forward Secrecy (PFS) • PPTP VPN Server • 10 PPTP VPN Clients • 16 Tunnels • PPTP with MPPE Encryption • L2TP VPN Server • 10 L2TP VPN Clients • 16 Tunnels • L2TP over IPSec • OpenVPN Server • 10 OpenVPN Clients • 16 OpenVPN Tunnels
DSL WAN *	✗		
SIM kart yuvası *	✗		
3G/4G USB modem uyumluluğu *	✗		
Ağ Bağlantıları		NAT fonksiyonu	• One-to-One NAT • Multi-Net NAT • Virtual Server • Port Triggering • NAT-DMZ • FTP/H.323/SIP/IPSec/PPTP ALG, UPnP
Ağ standardı *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x		
Ethernet arayüz türü *	Gigabit Ethernet		
Kablo teknolojisi	10/100/1000Base-T(X)		
Ethernet LAN veri transfer hızı	10,100,1000 Mbit/s		
VLAN desteği	✓		
Trafik kontrol	✓		
Politika tabanlı yönlendirme	✓	NAT fonksiyonu	Sertifikalar
Eşzamanlı bağlantılar	150000		
Yönetim özellikleri		Sertifikalar	
Web-tabanlı yönetim *	✓	Uyumluluk sertifikaları	RoHS
Evrensel Tak ve Çalıştır (UPnP)	✓	Paket içeriği	
Reset tuşu	✓		
Bağlantı		Pakete dahil kablolar	AC
Ethernet LAN (RJ-45) port sayısı *	5	Kullanım kılavuzu	✓
USB girişi sayısı	1	Hızlı başlangıç rehberi	✓
Protokoller		Hızlı yükleme rehberi	✓
		Özellikler	
DMZ desteği	✓	Flash bellek	128 MB
Yönlendirme protokolü	RIP-1, RIP-2	Dahili hafıza	256 MB
Yönetim protokolleri	Telnet	Dahili hafıza tipi	DRAM
DHCP müşteri *	✓		


Protokoller		Özellikler	
DHCP sunucu *	✓		
Fiber kanal protokolleri	TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, HTTP, DNS, IPsec, PPTP, L2TP	Desteklenen Windows çalışma sistemleri	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Fiber kanal protokolleri	IPsec/PPTP/L2TP	Desteklenen Mac çalışma sistemleri	MacOS
Güvenlik		Desteklenen Linux çalışma sistemleri	✓
Güvenlik algoritması destekli *	3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1	Sertifikalar, uygunluk bildirimleri	CE, FCC, RoHS
Firewall	✓	Tasarım	
Tasdik yöntemi	SHA-1, MD5	Ürün rengi *	Siyah
URL filtreleme	✓	Raf montajı	✓
DoS saldırı önleme	✓	Raf kapasitesi	1U
ARP saldırı önleme	✓	İletişim LED göstergeleri	Aktivite, LAN, Sistem, USB, WAN
Network adres çevirisi (NAT)	✓	Enerji yönetimi	
Sistem olay günlüğü	✓	Güç tüketimi *	7,94 W
VPN tünel sayısı	20	Güç kaynağı türü	AC
		AC girdi voltajı	120 - 240 V
		AC girdi frekansı	50 - 60 Hz
		Çevresel koşullar	
		Çalışma ısı aralığı	0 - 40 °C
		Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
		Çalıştırma nem aralığı	10 - 90%
		Çalışmama nemi	5 - 90%
		Ağırlık & boyutlar	
		Genişlik	158 mm
		Derinlik	101 mm
		Yükseklik	25 mm
		Ambalajlama bilgisi	
		Ambalaj genişliği	190 mm
		Ambalaj derinliği	254 mm
		Ambalaj yüksekliği	60 mm
		Paket ağırlığı	650 g



6935364089597




1210002611213



0840460604635



840460604635



1210002611206

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.