


TP-Link TL-SF1005D Gözetilmiş Fast Ethernet (10/100) Beyaz**Marka :** TP-Link**Ürün kodu:** TL-SF1005D V15**Ürün Adı :** TL-SF1005D

TP-Link TL-SF1005D. Anahtar tipi: Gözetilmiş. Temel açma kapama RJ-45 Ethernet giriş türü: Fast Ethernet (10/100), Temel açma kapama RJ-45 Ethernet giriş sayısı: 5. Tam iki taraflı baskı. Adres tablosu boyutu: 1000 Kayıt, Yönlendirme/geçiş kapasitesi: 1,6 Gbit/s. Ağ standardı: IEEE 802.3u, IEEE 802.3x. DC girdi voltajı: 5 V. Güç bağlantısı: DC giriş jakı



Yönetim özellikleri		Enerji yönetimi	
Anahtar tipi *	Gözetilmiş	Güç kaynağı *	DC
Servis kalitesi (QoS) desteği	✓	Güç kaynağı dahil *	✗
Web-tabanlı yönetim	✓	AC girdi voltajı	220 V
Bağlantı		AC girdi frekansı	50 Hz
Temel açma kapama RJ-45 Ethernet giriş sayısı *	5	DC girdi voltajı	5 V
Temel açma kapama RJ-45 Ethernet giriş türü *	Fast Ethernet (10/100)	Giriş akımı	0.6 A
Hızlı Ethernet (bakır) giriş sayısı	5	Güç tüketimi	1,87 W
Güç bağlantısı	DC giriş jakı	Güç tüketimi (maksimum)	1,87 W
Ağ Bağlantıları		Ethernet üzerindeki Güç (PoE)	
Ağ standardı *	IEEE 802.3u, IEEE 802.3x	Ethernet üzerinden güç desteği (PoE) *	✗
10G desteği *	✗	Çevresel koşullar	
Bakır ethernet kablolama teknolojisi	10BASE-T, 100BASE-T	Çalışma ısı aralığı	0 - 40 °C
Tam iki taraflı baskı	✓	Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Akış kontrol desteği	✓	Çalıştırma nem aralığı	10 - 90%
Auto MDI/MDI-X	✓	Çalışmama nemi	5 - 90%
Ağaç protokolü süresi	✓	Isı yayımı	6,38 BTU/s
Ethernet LAN veri transfer hızı	10,100 Mbit/s	Ağırlık & boyutlar	
Otomatik müzakere	✓	Genişlik	103,5 mm
Veri aktarımı		Derinlik	70 mm
Yönlendirme/geçiş kapasitesi *	1,6 Gbit/s	Yükseklik	22 mm
Adres tablosu boyutu *	1000 Kayıt	Paket içeriği	
Yedekle ve ilet	✓	Pakete dahil kablolar	AC
Protokoller		Kullanıcı kılavuzu	✓
Fiber kanal protokolleri	CSMA/CD, TCP/IP	Ambalajlama bilgisi	
		AC sarma adaptör	✓

Tasarım		Ambalajlama bilgisi	
Raf montajı *	×	Ambalaj tipi	Kutu
Ürün rengi	Beyaz	Ambalaj genişliği	91 mm
İletişim LED göstergeleri	✓	Ambalaj derinliği	108 mm
Performans		Ambalaj yüksekliği	85 mm
Fansız	✓	Paket ağırlığı	200 g
Sürdürülebilirlik			
		Sürdürülebilirlik uyumluluğu	✓
Sertifikalar			
		Uyumluluk sertifikaları	CE, Federal İletişim Komisyonu (FCC), RoHS
		Sertifikalar, uygunluk bildirimleri	FCC, RoHs



6935364020064

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.