

TP-Link TL-SF1024D ağ anahtarı Yönetilmeyen Fast Ethernet (10/100) Gri

Marka : TP-Link

Ürün kodu: TL-SF1024D


Ürün Adı : TL-SF1024D



TP-Link TL-SF1024D. Anahtar tipi: Yönetilmeyen. Temel açma kapama RJ-45 Ethernet giriş türü: Fast Ethernet (10/100), Temel açma kapama RJ-45 Ethernet giriş sayısı: 24. Adres tablosu boyutu: 8000 Kayıt, Yönlendirme/geçiş kapasitesi: 4,8 Gbit/s. Ağ standardı: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Güç bağlantısı: AC giriş jakı. Raf montajı

Yönetim özellikleri		Enerji yönetimi	
Anahtar tipi *	Yönetilmeyen	Güç kaynağı *	AC
Bağlantı		Güç kaynağı dahil *	✓
Temel açma kapama RJ-45 Ethernet giriş sayısı *	24	AC girdi voltajı	100 - 240 V
Temel açma kapama RJ-45 Ethernet giriş türü *	Fast Ethernet (10/100)	AC girdi frekansı	50/60 Hz
Hızlı Ethernet (bakır) giriş sayısı	24	Güç tüketimi	3,53 W
Güç bağlantısı	AC giriş jakı	Ethernet üzerindeki Güç (PoE)	
Ağ Bağlantıları		Ethernet üzerinden güç desteği (PoE) *	✗
Ağ standardı *	IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Çevresel koşullar	
10G desteği *	✗	Çalışma ısı aralığı	0 - 40 °C
Bakır ethernet kablolama teknolojisi	10GBASE-T, 100BASE-TX	Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Kablo tipleri destekli	Cat3, Cat5e, Cat4, Cat5	Çalıştırma nem aralığı	10 - 90%
Auto MDI/MDI-X	✓	Çalışmama nemi	5 - 90%
Ethernet LAN veri transfer hızı	10,100 Mbit/s	Isı yayımı	10,88 BTU/s
Veri aktarımı		Ağırlık & boyutlar	
Yönlendirme/geçiş kapasitesi *	4,8 Gbit/s	Genişlik	294 mm
İşlem hacmi	3,57 Mpps	Derinlik	180 mm
İletme hızı	3,57 Mpps	Yükseklik	44 mm
Adres tablosu boyutu *	8000 Kayıt	Paket içeriği	
Yedekle ve ilet	✓	Pakete dahil kablolar	AC
Paket ara belleği	2 MB	Kullanıcı kılavuzu	✓
Protokoller		Raf montaj kiti	✓
Fiber kanal protokolleri	CSMA/CD, TCP/IP	Ambalajlama bilgisi	
Tasarım		Ambalaj tipi	Kutu
Raf montajı *	✓	Ambalaj genişliği	250 mm
İstiflenebilir *	✗	Ambalaj derinliği	400 mm
Ürün rengi	Gri	Ambalaj yüksekliği	80 mm
Muhafaza malzemesi	Metal	Paket ağırlığı	2 kg
İletişim LED göstergeleri	✓	Sürdürülebilirlik	
		Sürdürülebilirlik uyumluluğu	✓

Performans		Sertifikalar	
Fansız	✓	Uyumluluk sertifikaları	CE, Federal İletişim Komisyonu (FCC), RoHS
		Lojistik veri	
		Uyumlu Sistem (HS) kodu	85176990



0845973021498



845973021498



6935364021498



1210002616508



1210002616492

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.