APC SRTG5KXLI kesintisiz güç kaynağı Çift dönüşüm (Çevrimiçi) 5 kVA 5000 W 3 AC çıkış(lar)



Marka : APC

Ürün kodu: SRTG5KXLI

Ürün Adı : SRTG5KXLI

APC SRTG5KXLI. UPS topolojisi: Çift dönüşüm (Çevrimiçi), Çıkış gücü kapasitesi (VA): 5 kVA, Çıkış gücü: 5000 W. AC çıkış türleri: C13 bağlaştırıcı, C19 bağlaştırıcı, Satış yeri sayısı: 3 AC çıkış(lar). Pil teknolojisi: Mühürlü Kurşun Asidi (VRLA), Pil voltajı: 96 V, Batarya ömrü (maks): 5 Yıl. Form faktörü: Kompakt, Ürün rengi: Siyah, Raf kapasitesi: 4U. Sertifikalar, uygunluk bildirimleri: CE, EN/IEC 62040-1



Özellikler	
UPS topolojisi *	Çift dönüşüm (Çevrimiçi)
Çıkış gücü kapasitesi (VA) *	5 kVA
Çıkış gücü *	5000 W
Dalga biçimi *	Sinüs
Girdi çalışma voltajı (minimum) *	100 V
Girdi çalışma voltajı (maksimum) *	285 V
Girdi frekansı *	40/70 Hz
Çıktı çalışma voltajı (minimum)	220 V
Çıktı çalışma voltajı (maksimum)	240 V
Üretim sıklığı	50/60 Hz
Elektrik akım enerjisi dalagalanma hızı	600 J
Zirve faktörü	3:1
ECO modu	✔
Acil durum gücü kapalı (EPO)	✔
Çıktı akımı (THD)	2%
Gürültü seviyesi	55 dB
Sesli alarmlar	✔
Sesli alarm modları	Akü ile çalışırken alarm, Düşük pil alarmı, Aşırı yük alarmı

Bağlantı	
AC çıkış türleri	C13 bağlaştırıcı, C19 bağlaştırıcı
Satış yeri sayısı	3 AC çıkış(lar)
USB bağlantı noktası	✔
Seri arayüz	✔
Ethernet LAN (RJ-45) port sayısı	1
Acil Durum Güç Kesme (EPO) konnektörü	✔

Batarya	
Pil voltajı	96 V
Batarya ömrü (maks)	5 Yıl
Pilin yeniden şarj edilme süresi	4 Saat
Çalışırken değiştirilebilen piller	✔
Otomatik pil testi	✔
Soğuk başlangıç	✔

Tasarım	
Form faktörü *	Kompakt
Raf kapasitesi	4U
Ürün rengi *	Siyah
Ekran türü	LCD
İletişim LED göstergeleri	✔
Uluslar arası koruma kodu	IP20

Çevresel koşullar	
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-15 - 45 °C
Çalıştırma nem aralığı	0 - 95%
Çalışmama nemi	0 - 95%
Çalışma yüksekliği	0 - 2011 m
Çalışmama yüksekliği	0 - 15240 m

Sertifikalar	
Sertifikalar, uygunluk bildirimleri	CE, EN/IEC 62040-1

Paket içeriği	
Yönetim kartı dahil	✔

Ağırlık & boyutlar	
Genişlik	440 mm

Publication date: 26-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Bağlantı	
SmartSlot	✔
SmartConnect portu	✘

Batarya	
Pil teknolojisi	Mühürlü Kurşun Asidi (VRLA)

Ağırlık & boyutlar	
Derinlik	620 mm
Yükseklik	178 mm
Ağırlık	51,9 kg


Ambalajlama bilgisi	
Ambalaj genişliği	590 mm
Ambalaj derinliği	790 mm
Ambalaj yüksekliği	275 mm
Paket ağırlığı	59 kg



0731304411802



731304411802



0731304411796



731304411796

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 26-OCT-2026. Prints or copies of Information are only valid on the printed Publication date