TP-Link Omada EAP615-WALL WLAN bağlantı noktası 1774 Mbit/s Beyaz Ethernet üzerinden güç desteği (PoE)



Marka : TP-Link **Ürün ailesi:** Omada **Ürün kodu:** EAP615-WALL

Ürün Adı : EAP615-WALL

TP-Link Omada EAP615-WALL. 2.4 GHz, 5 GHz, Maksimum veri aktarım hızı: 1774 Mbit/s. Güvenlik algoritması destekli: WPA, WPA2, WPA3. Ethernet LAN veri transfer hızı: 10,100,1000 Mbit/s. Ethernet üzerinden güç desteği (PoE). Ürün rengi: Beyaz



Özellikler	
2.4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maksimum veri aktarım hızı *	1774 Mbit/s
Maksimum veri aktarım hızı (2,4 GHz)	574 Mbit/s
Maksimum veri aktarım hızı (5 GHz)	1201 Mbit/s
Ethernet LAN veri transfer hızı	10,100,1000 Mbit/s
Ağ standartı	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Kablo teknolojisi	10/100/1000Base-T(X)
Otomatik kanal seçimi	✔
Otomatik kanal tarama	✔
MIMO	✔
MIMO tipi	Multi User MIMO
VLAN desteği	✔
Hız limitleme	✔
Kablosuz yalıtımı	✔
Bant Yönlendirme	✔
Yayın Eşitliği (ATF)	✔
Servis kalitesi (QoS) desteği	✔
Huzme Biçimlendirici	✔
İletim gücü (CE)	20 dbm
İletim gücü (FCC)	21 dbm
Güvenlik	
Güvenlik algoritması destekli *	WPA, WPA2, WPA3

Yönetim özellikleri	
Syslog	✔
Yükseltilebilir gömülü yazılım	✔
Bağlantı	
Ethernet LAN (RJ-45) port sayısı *	4
Enerji yönetimi	
Ethernet üzerinden güç desteği (PoE) *	✔
Tasarım	
Yerleştirme *	Duvar
Ürün rengi *	Beyaz
Entegre açma/kapama düğmesi	✔
Reset tuşu	✔
İletişim LED göstergeleri	Güç
Anten	
Anten tipi *	İç
Anten sayısı	4
Anten kazanç seviyesi (max)	4 dBi
Sertifikalar	
Sertifikalar, uygunluk bildirimleri	CE, FCC, RoHS
Ağırlık & boyutlar	
Genişlik	143 mm
Derinlik	86 mm
Yükseklik	20 mm
Ambalajlama bilgisi	
Ambalaj genişliği	385 mm

Güvenlik	
Servis Seti Tanımlayıcısı (SSID) özellikleri	Multiple SSIDs
SSID desteği sayısı	16
Uzaktan Kimlik Doğrulama Çevirmeli Kullanıcı Hizmeti (RADIUS)	✔
Bağlantı kontrol listesi (ACL)	✔

Ambalajlama bilgisi	
Ambalaj derinliği	495 mm
Ambalaj yüksekliği	210 mm
Paket ağırlığı	330 g

Çevresel koşullar	
Çalıştırma nem aralığı	10 - 90%
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Çalışmama nemi	5 - 90%

Lojistik veri	
Uyumlu Sistem (HS) kodu	85176990

4897098683606

4897098682128

0840030703607

840030703607

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 21-OCT-2026. Prints or copies of Information are only valid on the printed Publication date