TP-Link TL-MR3020 kablosuz yönlendirici Hızlı Eternet Tek-bant (2,4 GHz) 4G Gümüş, Beyaz



Marka : TP-Link

Ürün kodu: TL-MR3020

Ürün Adı : TL-MR3020

TP-Link TL-MR3020. WAN bağlantı tipi: RJ-45. Wi-Fi bant: Tek-bant (2,4 GHz), Wi-Fi standardı: Wi-Fi 4 (802.11n), WLAN veri transfer hızı (maks): 300 Mbit/s. Ethernet LAN arabirim türü: Hızlı Eternet, Ethernet LAN veri transfer hızı: 10,100 Mbit/s, Ağ standartı: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Mobil ağ oluşturma: 4G, 3G Standartları: EVDO, HSPA, HSPA+, UMTS, 4G standartları: LTE. Güvenlik algoritması destekli: 64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK, Firewall güvenliği: DoS, SPI



WAN bağlantı	
Eternet WAN *	✔
DSL WAN *	✘
SIM kart yuvası *	✘
3G/4G USB modem uyumluluğu *	✔
WAN bağlantı tipi	RJ-45
Kablosuz LAN özellikleri	
Wi-Fi bant *	Tek-bant (2,4 GHz)
Wi-Fi standardı *	Wi-Fi 4 (802.11n)
WLAN veri transfer hızı (maks) *	300 Mbit/s
Wi-Fi standartları	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Ağ Bağlantıları	
Ethernet LAN bağlantısı *	✔
Ethernet LAN arabirim türü *	Hızlı Eternet
Ethernet LAN veri transfer hızı	10,100 Mbit/s
Ağ standartı	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Port iletimi	✔
Port tetikleme	✔
Dinamik DN (DDNS)	✔
Alıcı hassasiyeti	270M: -70dBm@10% PER 130M: -73dBm@10% PER 108M: -74dBm@10% PER 54M: -75dBm@10% PER 11M: -86dBm@8% PER 6M: -92dBm@10% PER 1M: -95dBm@8% PER
Mobil ağ özellikleri	
Mobil ağ oluşturma	4G

Güvenlik	
Aile kontrolü	✔
Süzgeçleme	✔
MAC adres filtreleme	✔
DMZ desteği	✔
Protokoller	
DHCP müşteri	✔
DHCP sunucu	✔
Evrensel Tak ve Çalıştır (UPnP)	✔
Tasarım	
Ürün rengi	Gümüş, Beyaz
Ürün tipi *	Masaüstü yönlendiricisi
Sertifikalar	
Uyumluluk sertifikaları	RoHS, Federal İletişim Komisyonu (FCC), CE
Paket içeriği	
Pakete dahil kablolar	LAN (RJ-45), USB
Hızlı yükleme rehberi	✔
Sürdürülebilirlik	
Sürdürülebilirlik uyumluluğu	✔
Anten	
Anten tasarımı *	İç
İletim gücü	20 dBmW
Enerji yönetimi	
Güç kaynağı türü *	USB

Mobil ağ özellikleri	
3G	✔
3G Standartları	EVDO, HSPA, HSPA+, UMTS
4G standartları	LTE

Bağlantı	
Ethernet LAN (RJ-45) port sayısı *	1
USB bağlantı noktası *	✔
USB 2.0 bağlantı noktası sayısı	1

Yönetim özellikleri	
Web-tabanlı yönetim	✔
Wi-Fi Multimedia (WMM)/(WME)	✔
Servis kalitesi (QoS) desteği	✔
Reset tuşu	✔
WPS butonu	✔

Güvenlik	
Güvenlik algoritması destekli	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK
Firewall	✔
Firewall güvenliği	DoS, SPI
Misafir erişim	✔
DoS saldırı önleme	✔

Enerji yönetimi	
Çalıştırma voltajı	5 V
Çıkış akımı	1 A

Çevresel koşullar	
Çalışma ısısı aralığı	-10 - 60 °C
Depolama sıcaklığı aralığı (Celsius)	-40 - 80 °C
Çalıştırma nem aralığı	10 - 90%
Çalışmama nemi	5 - 90%

Sistem gereksinimleri	
Desteklenen Windows çalışma sistemleri	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Desteklenen Linux çalışma sistemleri	✔
Desteklenen Mac çalışma sistemleri	✔


Ağırlık & boyutlar	
Genişlik	74 mm
Derinlik	67 mm
Yükseklik	22 mm

Ambalajlama bilgisi	
Ambalaj genişliği	110 mm
Ambalaj derinliği	109 mm
Ambalaj yüksekliği	81,5 mm
Paket ağırlığı	210 g

Lojistik veri	
Uyumlu Sistem (HS) kodu	85176990



0845973051709



845973051709



6935364082345



5053460945348



0720591570675




720591570675




6857845734720




6935364090623



8459730517098



5052415405760



1210002615402

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date