

TP-Link TL-SG116 Yönetilmeyen Gigabit Ethernet (10/100/1000) Siyah

Marka : TP-Link

Ürün kodu: TL-SG116 V1

Ürün Adı : TL-SG116



TP-Link TL-SG116. Anahtar tipi: Yönetilmeyen. Temel açma kapama RJ-45 Ethernet giriş türü: Gigabit Ethernet (10/100/1000), Temel açma kapama RJ-45 Ethernet giriş sayısı: 16. Tam iki taraflı baskı. Adres tablosu boyutu: 8000 Kayıt, Yönlendirme/geçiş kapasitesi: 32 Gbit/s. Ağ standartı: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x

Yönetim özellikleri		Performans	
Anahtar tipi *	Yönetilmeyen	Tak ve kullan	✓
Servis kalitesi (QoS) desteği	✓	Enerji yönetimi	
Bağlantı		Güç kaynağı *	DC
Temel açma kapama RJ-45 Ethernet giriş sayısı *	16	Güç kaynağı dahil *	✓
Temel açma kapama RJ-45 Ethernet giriş türü *	Gigabit Ethernet (10/100/1000)	Giriş akımı	1 A
Gigabit Ethernet (bakır) bağlantı noktası sayısı	16	Girdi voltajı	12 V
Ağ Bağlantıları		Güç tüketimi (maksimum)	10 W
Ağ standartı *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Ethernet üzerindeki Güç (PoE)	
10G desteği *	✗	Ethernet üzerinden güç desteği (PoE) *	✗
Bakır ethernet kablolama teknolojisi	10BASE-T, 100BASE-TX, 1000BASE-T	Çevresel koşullar	
Tam iki taraflı baskı	✓	Çalışma ısı aralığı	0 - 40 °C
Akış kontrol desteği	✓	Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Auto MDI/MDI-X	✓	Çalıştırma nem aralığı	10 - 90%
Otomatik müzakere	✓	Çalışmama nemi	5 - 90%
Veri aktarımı		Isı yayımı	34,12 BTU/s
Yönlendirme/geçiş kapasitesi *	32 Gbit/s	Ağırlık & boyutlar	
İlerletme hızı	23,8 Mpps	Genişlik	286 mm
Adres tablosu boyutu *	8000 Kayıt	Derinlik	111,7 mm
Yedekle ve ilet	✓	Yükseklik	25,4 mm
Jumbo Frames desteği	✓	Paket içeriği	
Jumbo çerçeveler	10000	Hızlı başlangıç rehberi	✓
Paket ara belleği	4,1 MB	Ambalajlama bilgisi	
		AC sarma adaptör	✓
		Ambalaj tipi	Kutu
		Lastik pabuçlar	✓

Güvenlik		Ambalajlama bilgisi	
IGMP aramak	✓	Ambalaj genişliği	170 mm
Tasarım		Ambalaj derinliği	412 mm
Raf montajı *	✗	Ambalaj yüksekliği	70 mm
Ürün rengi	Siyah	Paket ağırlığı	1,33 kg
Muhafaza malzemesi	çelik	Sertifikalar	
İletişim LED göstergeleri	✓	Sertifikalar, uygunluk bildirimleri	CE, FCC ,RoHS
		Lojistik veri	
		Uyumlu Sistem (HS) kodu	85176990



6935364084325



6935364084332



0845973084325



845973084325

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.