

## TP-Link Omada ER7212PC kablolu yönlendirici Gigabit Ethernet Siyah

Marka : TP-Link

Ürün ailesi: Omada

Ürün kodu: ER7212PC

Ürün Adı : ER7212PC



TP-Link Omada ER7212PC. Ağ standardı: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z, Ethernet arayüz türü: Gigabit Ethernet, Kablo teknolojisi: 10/100/1000Base-T(X). Fiber kanal protokolleri: TCP/IP, DHCP, ICMP, NAT, PPPoE, NTP, HTTP, HTTPS, DNS, IPSec, PPTP, L2TP, SNMP. NAT fonksiyonu: Multi-Net NAT; Virtual Server; NAT-DMZ; FTP/H.323/SIP/IPSec/PPTP ALG; UPnP;. İşlemci frekansı: 1200 MHz, Flash bellek: 4096 MB, Dahili hafıza: 1024 MB. Ürün rengi: Siyah, Muhafaza malzemesi: Metal

| WAN bağlantıları                   |                                                                                | Güvenlik                             |                                                                             |
|------------------------------------|--------------------------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------------------------|
| Ethernet WAN *                     | ✓                                                                              | NAT fonksiyonu                       | Multi-Net NAT; Virtual Server; NAT-DMZ; FTP/H.323/SIP/IPSec/PPTP ALG; UPnP; |
| DSL WAN *                          | ✗                                                                              |                                      |                                                                             |
| SIM kart yuvası *                  | ✗                                                                              |                                      |                                                                             |
| 3G/4G USB modem uyumluluğu *       | ✗                                                                              |                                      |                                                                             |
| SFP WAN *                          | ✓                                                                              |                                      |                                                                             |
| Ağ Bağlantıları                    |                                                                                | Paket içeriği                        |                                                                             |
| Ağ standardı *                     | IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z   | AC sarma adaptör                     | ✓                                                                           |
| Ethernet arayüz türü *             | Gigabit Ethernet                                                               | Kullanım kılavuzu                    | ✓                                                                           |
| Kablo teknolojisi                  | 10/100/1000Base-T(X)                                                           | Özellikler                           |                                                                             |
| Ethernet LAN veri transfer hızı    | 10,100,1000 Mbit/s                                                             | Dahili işlemci                       | ✓                                                                           |
| Statik yol                         | ✓                                                                              | İşlemci frekansı                     | 1200 MHz                                                                    |
| VLAN desteği                       | ✓                                                                              | Flash bellek                         | 4096 MB                                                                     |
| Port iletimi                       | ✓                                                                              | Dahili hafıza                        | 1024 MB                                                                     |
| Yönetim özellikleri                |                                                                                | Dahili hafıza tipi                   | DDR3                                                                        |
| Evrensel Tak ve Çalıştır (UPnP)    | ✓                                                                              | Sertifikalar, uygunluk bildirimleri  | CE, FCC, RoHS                                                               |
| Reset tuşu                         | ✓                                                                              | Tasarım                              |                                                                             |
| Bağlantı                           |                                                                                | Ürün rengi *                         | Siyah                                                                       |
| Ethernet LAN (RJ-45) port sayısı * | 10                                                                             | Muhafaza malzemesi                   | Metal                                                                       |
| Ethernet gücü (PoE) giriş sayısı   | 8                                                                              | İletişim LED göstergeleri            | ✓                                                                           |
| Kombo SFP port sayısı              | 2                                                                              | Enerji yönetimi                      |                                                                             |
| Fiş içi DC                         | ✓                                                                              | Çalıştırma voltajı                   | 53.5 V                                                                      |
| Protokoller                        |                                                                                | Çıkış akımı                          | 2,43 A                                                                      |
| DHCP müşteri *                     | ✓                                                                              | Ethernet üzerinden güç desteği (PoE) | ✓                                                                           |
| DHCP sunucu *                      | ✓                                                                              | Çevresel koşullar                    |                                                                             |
| Fiber kanal protokolleri           | TCP/IP, DHCP, ICMP, NAT, PPPoE, NTP, HTTP, HTTPS, DNS, IPsec, PPTP, L2TP, SNMP | Çalışma ısı aralığı                  | 0 - 45 °C                                                                   |
| Güvenlik                           |                                                                                | Depolama sıcaklığı aralığı (Celsius) | -40 - 70 °C                                                                 |
| URL filtreleme                     | ✓                                                                              | Çalıştırma nem aralığı               | 10 - 90%                                                                    |
| Bağlantı kontrol listesi (ACL)     | ✓                                                                              | Çalışmama nemi                       | 5 - 90%                                                                     |
|                                    |                                                                                | Ağırlık & boyutlar                   |                                                                             |
|                                    |                                                                                | Genişlik                             | 226 mm                                                                      |
|                                    |                                                                                | Derinlik                             | 131 mm                                                                      |
|                                    |                                                                                | Yükseklik                            | 35 mm                                                                       |
|                                    |                                                                                | Ambalajlama bilgisi                  |                                                                             |

**Ambalajlama bilgisi**


|                    |         |
|--------------------|---------|
| Ambalaj genişliđi  | 227 mm  |
| Ambalaj derinliđi  | 374 mm  |
| Ambalaj yüksekliđi | 73 mm   |
| Paket ađırlıđı     | 1,92 kg |



4897098688724



4897098688717



0840030708718



840030708718

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.