

TP-Link Omada EAP211-Bridge KIT Ağ köprüsü 867 Mbit/s Beyaz


Marka : TP-Link

Ürün ailesi: Omada

Ürün kodu: EAP211-BRIDGE
KIT

Ürün Adı : EAP211-Bridge KIT

TP-Link Omada EAP211-Bridge KIT. Maksimum veri aktarım hızı: 867 Mbit/s, Maksimum transfer mesafesi: 1000 m. Anten tasarımı: İç, Anten tipi: 2x2, Anten kazanç seviyesi (max): 7 dBi. Wi-Fi bant: Tek bantlı (5 GHz), Wi-Fi standardı: Wi-Fi 5 (802.11ac), WLAN veri transfer hızı (maks): 867 Mbit/s. Ethernet LAN arabirim türü: Gigabit Ethernet, Ethernet LAN veri transfer hızı: 10,100,1000 Mbit/s, Ağ standardı: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Bağlantı teknolojisi: Kablolu & Kablosuz



Veri aktarımı		Yönetim özellikleri	
Maksimum veri aktarım hızı *	867 Mbit/s	Web-tabanlı yönetim	✓
Maksimum transfer mesafesi	1000 m	Özellikler	
Anten		Ürün tipi *	Ağ köprüsü
Anten tasarımı	İç	Sabitlenme tipi	Direk
Anten tipi	2x2	Ürün rengi	Beyaz
Anten kazanç seviyesi (max)	7 dBi	İletişim LED göstergeleri	Güç
Kablosuz LAN özellikleri		Reset tuşu	✓
Wi-Fi	✓	Uluslararası koruma kodu	IP65
Wi-Fi bant	Tek bantlı (5 GHz)	Servis kalitesi (QoS) desteği	✓
Wi-Fi standardı	Wi-Fi 5 (802.11ac)	Enerji yönetimi	
WLAN veri transfer hızı (maks)	867 Mbit/s	Güç kaynağı türü	DC, PoE
Frekans bandı ve işletim kanalları	5 GHz	DC girdi voltajı	12 V
Ağ Bağlantıları		Ethernet üzerinden güç desteği (PoE)	✓
Ethernet LAN bağlantısı	✓	Ethernetten güç (PoE)	24 V
Ethernet LAN arabirim türü	Gigabit Ethernet	Çevresel koşullar	
Ethernet LAN veri transfer hızı	10,100,1000 Mbit/s	Çalışma ısı aralığı	-40 - 70 °C
Ağ standardı	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Çalıştırma nem aralığı	10 - 90%
Kablo teknolojisi	10/100/1000Base-T(X)	Depolama sıcaklığı (Celsius)	-40 - 70 °C
Bağlantı		Çalışmama nemi	5 - 90%
Bağlantı teknolojisi	Kablolu & Kablosuz	Sertifikalar	
		Sertifikalar, uygunluk bildirimleri	CE, FCC, RoHS

Bağlantı		Ağırlık & boyutlar	
Ethernet LAN (RJ-45) port sayısı	3	Genişlik	224 mm
Fiş içi DC	✓	Derinlik	79 mm
Güvenlik		Yükseklik	60 mm
Güvenlik algoritması destekli	SNMP, SNMPv2, SNMPv3, SSH	Paket içeriği	
MAC adres filtreleme	✓	PoE+ Enjektörü/enjektörleri	✓
		Pakete dahil kablolar	AC



4895252502541



0840030709142



840030709142



8885020627053



8885020627060



0810142823371



810142823371



1210002620055

Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.