TP-Link Omada EAP215-Bridge KIT Ağ köprüsü 867 Mbit/s Beyaz



Marka : TP-Link **Ürün ailesi:** Omada **Ürün kodu:** EAP215-BRIDGE KIT

Ürün Adı : EAP215-Bridge KIT

TP-Link Omada EAP215-Bridge KIT. Maksimum veri aktarım hızı: 867 Mbit/s, Maksimum transfer mesafesi: 5000 m. Anten tasarımı: İç, Anten tipi: 2x2, Anten kazanç seviyesi (max): 14 dBi. Wi-Fi bant: Tek bantlı (5 GHz), Wi-Fi standardı: Wi-Fi 5 (802.11ac), WLAN veri transfer hızı (maks): 867 Mbit/s. Ethernet LAN arabirim türü: Gigabit Ethernet, Ethernet LAN veri transfer hızı: 10,100,1000 Mbit/s, Ağ standartı: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n. Bağlantı teknolojisi: Kablolu & Kablosuz



Veri aktarımı	
Maksimum veri aktarım hızı *	867 Mbit/s
Maksimum transfer mesafesi	5000 m
Anten	
Anten tasarımı	İç
Anten tipi	2x2
Anten kazanç seviyesi (max)	14 dBi
Kablosuz LAN özellikleri	
Wi-Fi	✔
Wi-Fi bant	Tek bantlı (5 GHz)
Wi-Fi standardı	Wi-Fi 5 (802.11ac)
WLAN veri transfer hızı (maks)	867 Mbit/s
Frekans bandı ve işletim kanalları	5 GHz
Ağ Bağlantıları	
Ethernet LAN bağlantısı	✔
Ethernet LAN arabirim türü	Gigabit Ethernet
Ethernet LAN veri transfer hızı	10,100,1000 Mbit/s
Ağ standartı	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n
Kablo teknolojisi	10/100/1000Base-T(X)
Bağlantı	
Bağlantı teknolojisi	Kablolu & Kablosuz

Yönetim özellikleri	
Web-tabanlı yönetim	✔
Özellikler	
Ürün tipi *	Ağ köprüsü
Sabitleme tipi	Direk
Ürün rengi	Beyaz
İletişim LED göstergeleri	Güç
Reset tuşu	✔
Uluslar arası koruma kodu	IP65
Servis kalitesi (QoS) desteği	✔
Enerji yönetimi	
Güç kaynağı türü	DC, PoE
DC girdi voltajı	12 V
Ethernet üzerinden güç desteği (PoE)	✔
Ethernetten güç (PoE)	24 V
Çevresel koşullar	
Çalışma ısısı aralığı	-40 - 70 °C
Çalıştırma nem aralığı	10 - 90%
Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Çalışmama nemi	5 - 90%
Sertifikalar	
Sertifikalar, uygunluk bildirimleri	CE, FCC, RoHS

Bağlantı	
Ethernet LAN (RJ-45) port sayısı	3
Fiş içi DC	✔

Güvenlik	
Güvenlik algoritması destekli	SNMP, SNMPv2, SNMPv3, SSH
MAC adres filtreleme	✔

Ağırlık & boyutlar	
Genişlik	224 mm
Derinlik	79 mm
Yükseklik	60 mm

Paket içeriği	
PoE+ Enjektörü/enjektörleri	✔
Pakete dahil kablolar	AC




4895252502565



0840030709159



840030709159



4895252502572



8885020627077




8885020627084




0810142823388




810142823388



1210002603751



1210002603744



0840460601542



840460601542

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 20-OCT-2026. Prints or copies of Information are only valid on the printed Publication date