ZYXEL

Zyxel WAC500H 1200 Mbit/s Beyaz Ethernet üzerinden güç desteği (PoE)



Marka : Zyxel

Ürün kodu: WAC500H-EU0101F

Ürün Adı : WAC500H

Zyxel WAC500H. 2.4 GHz, 5 GHz, Maksimum veri aktarım hızı: 1200 Mbit/s. Güvenlik algoritması destekli: EAP, SNMP, WEP, WPA, WPA2-Enterprise, WPA2-PSK, WPA3. Ethernet LAN veri transfer hızı: 10,100,1000 Mbit/s. Ethernet üzerinden güç desteği (PoE). Ürün rengi: Beyaz

Özellikler	
2.4 GHz *	✔
5 GHz *	✔
Maksimum veri aktarım hızı *	1200 Mbit/s
Maksimum veri aktarım hızı (2,4 GHz)	300 Mbit/s
Maksimum veri aktarım hızı (5 GHz)	866 Mbit/s
Ethernet LAN veri transfer hızı	10,100,1000 Mbit/s
Ağ standartı	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.11r, IEEE 802.11v, IEEE 802.1x, IEEE 802.3af, IEEE 802.3at
Kanal bant genişliği	80 MHz
MIMO	✔
MIMO tipi	Multi User MIMO
Wi-Fi Multimedia (WMM)/(WME)	✔
Hızlı dolaşım	✔
VLAN desteği	✔
Kablosuz yalıtımı	✔
Bant Yönlendirme	✔
İletim gücü	26 dBmW
Alıcı hassasiyeti	-99 dBm

Güvenlik	
Güvenlik algoritması destekli *	EAP, SNMP, WEP, WPA, WPA2-Enterprise, WPA2-PSK, WPA3
MAC adres filtreleme	✔
Otomatik Kablosuz Dağıtım Sistemi (WDS)	✔

Enerji yönetimi	
AC girdi voltajı	100 - 240 V
AC girdi frekansı	50 - 60 Hz
Giriş akımı	0.3 A
Çalıştırma voltajı	12 V
Çıkış akımı	1 A

Tasarım	
Yerleştirme *	Duvar
Ürün rengi *	Beyaz

Anten	
Anten tipi *	İç
Anten kazanç seviyesi (max)	4 dBi

Sertifikalar	
Sertifikalar, uygunluk bildirimleri	FCC 15C, FCC 15E; ETSI EN 300 328, EN 301 893; LP0002, EN 60601-1-2 FCC 15B, EN 301 489-1; EN 301 489-17, EN55022, EN55024, EN61000-3-2/-3, BSMI CNS13438 EN 60950-1, IEC 60950-1; BSMI CNS14336-1

Ağırlık & boyutlar	
Genişlik	173 mm
Derinlik	97 mm
Yükseklik	29 mm
Ağırlık	223 g

Ambalajlama bilgisi	
Ambalaj genişliği	195 mm
Ambalaj derinliği	120 mm
Ambalaj yüksekliği	53 mm

Yönetim özellikleri	
Web-tabanlı yönetim	✔
Komut satırı arayüzü (CLI)	✔

Bağlantı	
Ethernet LAN (RJ-45) port sayısı *	3
Fiş içi DC	✔

Enerji yönetimi	
Ethernet üzerinden güç desteği (PoE) *	✔

Ambalajlama bilgisi	
Paket ağırlığı	444 g

Paket içeriği	
Paket başına miktar	1 adet
Monteleme kiti	✔

Çevresel koşullar	
Çalıştırma nem aralığı	10 - 90%
Çalışma ısısı aralığı	0 - 50 °C
Depolama sıcaklığı aralığı (Celsius)	-30 - 70 °C
Çalışmama nemi	10 - 90%

Lojistik veri	
Uyumlu Sistem (HS) kodu	85176990

4718937615209

4172937615209

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date