TP-Link Omada EAP673 WLAN bağlantı noktası 5400 Mbit/s Beyaz Ethernet üzerinden güç desteği (PoE)

Marka : TP-Link **Ürün ailesi:** Omada **Ürün kodu:** EAP673

Ürün Adı : EAP673

TP-Link Omada EAP673. 2.4 GHz, 5 GHz, Maksimum veri aktarım hızı: 5400 Mbit/s. Güvenlik algoritması destekli: SNMP, SNMPv2, SNMPv3, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise. Ethernet LAN veri transfer hızı: 10,100,1000,2500 Mbit/s. Ethernet üzerinden güç desteği (PoE). Ürün rengi: Beyaz

Özellikler	
2.4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maksimum veri aktarım hızı *	5400 Mbit/s
Maksimum veri aktarım hızı (2,4 GHz)	574 Mbit/s
Maksimum veri aktarım hızı (5 GHz)	4804 Mbit/s
Ethernet LAN veri transfer hızı	10,100,1000,2500 Mbit/s
Frekans bandı ve işletim kanalları	2.4 - 5 GHz
Ağ standartı	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Kullanıcı sayısı	250 Kullanıcı
Otomatik kanal seçimi	✔
Otomatik kanal tarama	✔
MIMO	✔
MIMO tipi	Multi User MIMO
VLAN desteği	✔
Sanal LAN özellikleri	VLAN mapping
Hız limitleme	✔
Akış kontrol desteği	✔
Bant Yönlendirme	✔
Yayın Eşitliği (ATF)	✔
Servis kalitesi (QoS) desteği	✔
Huzme Biçimlendirici	✔

Yönetim özellikleri	
Syslog	✔
Yükseltilebilir gömülü yazılım	✔
Bağlantı	
Ethernet LAN (RJ-45) port sayısı *	1
Fiş içi DC	✔
Enerji yönetimi	
Ethernet üzerinden güç desteği (PoE) *	✔
DC voltaj aralık	12 V
Tasarım	
Yerleştirme *	Tavan, Duvar
Ürün rengi *	Beyaz
Reset tuşu	✔
İletişim LED göstergeleri	✔
Anten	
Anten tipi *	İç
Ağırlık & boyutlar	
Genişlik	220 mm
Derinlik	220 mm
Yükseklik	32,5 mm
Paket içeriği	
Paket başına miktar	1 adet
Monteleme kiti	✔
Hızlı başlangıç rehberi	✔

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Güvenlik	
Güvenlik algoritması destekli *	SNMP, SNMPv2, SNMPv3, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise

Yönetim özellikleri	
Web-tabanlı yönetim	✔

Çevresel koşullar	
Çalıştırma nem aralığı	10 - 90%
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Çalışmama nemi	5 - 90%

4895252506488

4895252506495

0840030711909

840030711909

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date