

TP-Link TL-SX1008 ağı anahtarı Yönetilmeyen 10G Ethernet (100/1000/10000) 1U Siyah

Marka : TP-Link

Ürün kodu: TL-SX1008

Ürün Adı : TL-SX1008



TP-Link TL-SX1008. Anahtar tipi: Yönetilmeyen. Temel açma kapama RJ-45 Ethernet giriş türü: 10G Ethernet (100/1000/10000), Temel açma kapama RJ-45 Ethernet giriş sayısı: 8. Adres tablosu boyutu: 32000 Kayıt, Yönlendirme/geçiş kapasitesi: 160 Gbit/s. Ağ standartı: IEEE 802.3, IEEE 802.3ab, IEEE 802.3an, IEEE 802.3bz, IEEE 802.3p, IEEE 802.3x. Raf montajı, Form faktörü: 1U

Yönetim özellikleri		Enerji yönetimi	
Anahtar tipi *	Yönetilmeyen	AC girdi voltajı	100 - 240 V
Bağlantı		AC girdi frekansı	50 - 60 Hz
Temel açma kapama RJ-45 Ethernet giriş sayısı *	8	Giriş akımı	0.8 A
Temel açma kapama RJ-45 Ethernet giriş türü *	10G Ethernet (100/1000/10000)	Güç tüketimi (maksimum)	28,4 W
10G Ethernet (bakır) bağlantı noktası sayısı	8	Ethernet üzerindeki Güç (PoE)	
Ağ Bağlantıları		Ethernet üzerinden güç desteği (PoE) *	×
Ağ standartı *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3an, IEEE 802.3bz, IEEE 802.3p, IEEE 802.3x	Çevresel koşullar	
10G desteği *	✓	Çalışma ısı aralığı	0 - 50 °C
Auto MDI/MDI-X	✓	Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Otomatik müzakere	✓	Çalıştırma nem aralığı	10 - 90%
Veri aktarımı		Çalışmama nemi	5 - 90%
Yönlendirme/geçiş kapasitesi *	160 Gbit/s	Ağırlık & boyutlar	
İlerletme hızı	119 Mpps	Genişlik	294 mm
Adres tablosu boyutu *	32000 Kayıt	Derinlik	180 mm
Yedekle ve ilet	✓	Yükseklik	44 mm
Jumbo Frames desteği	✓	Paket içeriği	
Jumbo çerçeveler	10000	Pakete dahil kablolar	AC
Paket ara belleği	16 MB	Hızlı başlangıç rehberi	✓
Tasarım		Raf montaj kiti	✓
Raf montajı *	✓	Ambalajlama bilgisi	
Form faktörü	1U	Ambalaj tipi	Kutu
Ürün rengi	Siyah	Ambalaj genişliği	250 mm
İletişim LED göstergeleri	✓	Ambalaj derinliği	400 mm
Fan sayısı	1 fan(lar)	Ambalaj yüksekliği	80 mm
Enerji yönetimi		Paket ağırlığı	2,07 kg
Güç kaynağı *	AC	Sertifikalar	
		Sertifikalar, uygunluk bildirimleri	CE, FCC ,RoHS

Enerji yönetimi

Güç kaynağı dahil *

**Lojistik veri**

Uyumlu Sistem (HS) kodu

85176990



6935364030926




6935364030919



0845973088064



845973088064



1210002617239



0840460604192



840460604192



1210002617222

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 31-OCT-2026. Prints or copies of Information are only valid on the printed Publication date