TP-Link LS105G Yönetilmeyen Gigabit Ethernet (10/100/1000) Mavi

Marka : TP-Link

Ürün kodu: LS105G V1

Ürün Adı : LS105G



TP-Link LS105G. Anahtar tipi: Yönetilmeyen. Temel açma kapama RJ-45 Ethernet giriş türü: Gigabit Ethernet (10/100/1000), Temel açma kapama RJ-45 Ethernet giriş sayısı: 5. Adres tablosu boyutu: 2000 Kayıt, Yönlendirme/geçiş kapasitesi: 10 Gbit/s. Ağ standartı: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Güç bağlantısı: DC giriş jakı. Duvara monte

Yönetim özellikleri	
Anahtar tipi *	Yönetilmeyen
Servis kalitesi (QoS) desteği	✔

Bağlantı	
Temel açma kapama RJ-45 Ethernet giriş sayısı *	5
Temel açma kapama RJ-45 Ethernet giriş türü *	Gigabit Ethernet (10/100/1000)
Gigabit Ethernet (bakır) bağlantı noktası sayısı	5
Güç bağlantısı	DC giriş jakı

Ağ Bağlantıları	
Ağ standartı *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
10G desteği *	✘
Auto MDI/MDI-X	✔
Otomatik müzakere	✔

Veri aktarımı	
Yönlendirme/geçiş kapasitesi *	10 Gbit/s
İlerletme hızı	7,4 Mpps
Adres tablosu boyutu *	2000 Kayıt
Jumbo Frames desteği	✔
Jumbo çerçeveler	16000
Paket ara belleği	1 MB

Tasarım	
Raf montajı *	✘
Ürün rengi	Mavi
Muhafaza malzemesi	Metal

Enerji yönetimi	
Güç kaynağı *	DC
Güç kaynağı dahil *	✔
Giriş akımı	0.6 A
Girdi voltajı	5 V
Güç tüketimi (maksimum)	2,776 W

Eternet üzerindeki Güç (PoE)	
Ethernet üzerinden güç desteği (PoE) *	✘

Çevresel koşullar	
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Çalıştırma nem aralığı	10 - 90%
Çalışmama nemi	5 - 90%
Isı yayımı	9,466 BTU/s

Ağırlık & boyutlar	
Genişlik	99,8 mm
Derinlik	98 mm
Yükseklik	25 mm

Paket içeriği	
Hızlı başlangıç rehberi	✔

Ambalajlama bilgisi	
Ambalaj genişliği	125 mm
Ambalaj derinliği	128 mm
Ambalaj yüksekliği	92 mm
Paket ağırlığı	290 g

Publication date: 22-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Tasarım	
İletişim LED göstergeleri	Aktivite, LAN, Güç
Duvara monte	✔

Sertifikalar	
Sertifikalar, uygunluk bildirimleri	CE, FCC, RoHS

Lojistik veri	
Uyumlu Sistem (HS) kodu	85176990

6935364085445

6935364085483



0845973085445



845973085445

1210002616225

1210002616218

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 22-OCT-2026. Prints or copies of Information are only valid on the printed Publication date