ZYXEL

Zyxel GS1200-5HP v2 Gözetilmiş Gigabit Ethernet (10/100/1000) Ethernet üzerinden güç desteği (PoE) Gri

Marka : Zyxel

Ürün kodu: GS1200-5HPV2-EU0101F

Ürün Adı : GS1200-5HP v2



Zyxel GS1200-5HP v2. Anahtar tipi: Gözetilmiş. Temel açma kapama RJ-45 Ethernet giriş türü: Gigabit Ethernet (10/100/1000), Temel açma kapama RJ-45 Ethernet giriş sayısı: 5. Tam iki taraflı baskı. Adres tablosu boyutu: 2000 Kayıt, Yönlendirme/geçiş kapasitesi: 10 Gbit/s. Ağ standartı: IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x,.... Ethernet üzerinden güç desteği (PoE)



Yönetim özellikleri	
Anahtar tipi *	Gözetilmiş
Servis kalitesi (QoS) desteği	✔
Web-tabanlı yönetim	✔

Bağlantı	
Temel açma kapama RJ-45 Ethernet giriş sayısı *	5
Temel açma kapama RJ-45 Ethernet giriş türü *	Gigabit Ethernet (10/100/1000)

Ağ Bağlantıları	
Ağ standartı *	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
10G desteği *	✘
Bağlantı geçidi aynalama	✔
Tam iki taraflı baskı	✔
Akış kontrol desteği	✔
Bağlantı kümeleme	✔
Yayım akımı kontrolü	✔
Auto MDI/MDI-X	✔
VLAN desteği	✔
Sanal LAN özellikleri	Port-based VLAN

Veri aktarımı	
Yönlendirme/geçiş kapasitesi *	10 Gbit/s
Adres tablosu boyutu *	2000 Kayıt
Yedekle ve ilet	✔
Jumbo Frames desteği	✔

Tasarım	
İletişim LED göstergeleri	Bağlantı, PoE, Güç
Entegre açma/kapama düğmesi	✔
Güvenlik	LVD EN60950-1

Performans	
Yükseltilebilir gömülü yazılım	✔

Enerji yönetimi	
Çıkış akımı	1,3 A
Güç tüketimi (maksimum)	72 W

Eternet üzerindeki Güç (PoE)	
Ethernet üzerinden güç desteği (PoE) *	✔
Ethernet gücü (PoE) giriş sayısı	5
Ethernet plus üzerindeki güç (PoE+) giriş sayısı	4
Ethernet bütçesi üzerindeki toplam güç	60 W

Çevresel koşullar	
Çalışma ısısı aralığı	0 - 40 °C
Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
Çalıştırma nem aralığı	10 - 90%
Çalışmama nemi	10 - 90%

Ağırlık & boyutlar	
Genişlik	193 mm
Derinlik	84 mm
Yükseklik	26 mm
Ağırlık	392 g

Veri aktarımı	
Jumbo çerçeveler	9000
Paket ara belleği	0,1 MB

Güvenlik	
DHCP özellikleri	DHCP client
IGMP aramak	✔

Çoğa gönderim özellikleri	
Multicast desteği	✔
Filtrelenen çoklu gönderim grupları sayısı	20

Tasarım	
Raf montajı *	✘
İstiflenebilir *	✘
Ürün rengi	Gri
Reset tuşu	✔

Ambalajlama bilgisi	
Ambalaj tipi	Kutu
Ambalaj genişliği	210 mm
Ambalaj derinliği	132 mm
Ambalaj yüksekliği	78 mm
Paket ağırlığı	950 g

Sertifikalar	
Sertifikalar, uygunluk bildirimleri	CE, FCC, C-Tick, Class A

Lojistik veri	
Uyumlu Sistem (HS) kodu	85176990

4718937598717

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-OCT-2026. Prints or copies of Information are only valid on the printed Publication date