

TP-Link TL-WR1502X kablosuz yönlendirici Gigabit Ethernet Çift bant (2,4 GHz / 5 GHz) Siyah

Marka : TP-Link

Ürün kodu: TL-WR1502X

Ürün Adı : TL-WR1502X

TP-Link TL-WR1502X. Wi-Fi bant: Çift bant (2,4 GHz / 5 GHz), Wi-Fi standardı: Wi-Fi 6 (802.11ax), WLAN veri transfer hızı (maks): 1500 Mbit/s. Ethernet LAN arabirim türü: Gigabit Ethernet, Ethernet LAN veri transfer hızı: 10,100,1000 Mbit/s. Güvenlik algoritması destekli: WPA-Enterprise, WPA2-Enterprise, WPA2-PSK, WPA3-Personal, Firewall güvenliği: SPI Firewall. Ürün tipi: Taşınabilir yönlendirici, Ürün rengi: Siyah. Anten tasarımı: İç



WAN bağlantı		Güvenlik	
Ethernet WAN *	✓	Güvenlik algoritması destekli	WPA-Enterprise, WPA2-Enterprise, WPA2-PSK, WPA3-Personal
DSL WAN *	✗	Firewall	✓
3G/4G USB modem uyumluluğu *	✓	Firewall güvenliği	SPI Firewall
Kablosuz LAN özellikleri		Bağlantı kontrol listesi (ACL)	✓
Wi-Fi bant *	Çift bant (2,4 GHz / 5 GHz)	Protokoller	
Wi-Fi standardı *	Wi-Fi 6 (802.11ax)	DHCP müşteri	✓
WLAN veri transfer hızı (maks) *	1500 Mbit/s	DHCP sunucu	✓
Wi-Fi standartları	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Evrensel Tak ve Çalıştır (UPnP)	✓
WLAN veri transfer hızı (birinci band)	300 Mbit/s	Tasarım	
WLAN veri transfer hızı (ikinci band)	1201 Mbit/s	Ürün rengi	Siyah
Ağ Bağlantıları		Gösterge ışığı	✓
Ethernet LAN bağlantısı *	✓	Ürün tipi *	Taşınabilir yönlendirici
Ethernet LAN arabirim türü *	Gigabit Ethernet	Anten	
Ethernet LAN veri transfer hızı	10,100,1000 Mbit/s	Anten tasarımı *	İç
Port iletimi	✓	Enerji yönetimi	
Port tetikleme	✓	Güç kaynağı türü *	USB
Dinamik DN (DDNS)	✓	Çalıştırma voltajı	12 V
Konuk ağ sayısı (2,4 GHz)	1	Çıkış akımı	1,5 A
Konuk ağ sayısı (5 GHz)	1	Çevresel koşullar	
Bağlantı		Çalışma ısı aralığı	0 - 40 °C
Ethernet LAN (RJ-45) port sayısı *	2	Depolama sıcaklığı aralığı (Celsius)	-40 - 60 °C
USB bağlantı noktası *	✓	Çalıştırma nem aralığı	10 - 90%
USB 2.0 bağlantı noktası sayısı	1	Çalışmama nemi	5 - 90%
Ağırlık & boyutlar			

Yönetim özellikleri		Ağırlık & boyutlar	
Web-tabanlı yönetim	✓	Genişlik	104 mm
Servis kalitesi (QoS) desteği	✓	Derinlik	90 mm
WPS butonu	✓	Yükseklik	28 mm
		Ambalajlama bilgisi	
		Ambalaj tipi	Kutu



4895252503449



0840030710001



840030710001



1210002601542



8885021370798



1210002638654

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.