

ZYXEL

Zyxel XGS1935-52HP Gözetilmiş L2/L3 Gigabit Ethernet (10/100/1000) Ethernet üzerinden güç desteği (PoE)

Marka : Zyxel

Ürün kodu: XGS1935-52HP-EU0101F


Ürün Adı : XGS1935-52HP



Zyxel XGS1935-52HP. Anahtar tipi: Gözetilmiş, Anahtar katmanı: L2/L3. Temel açma kapama RJ-45 Ethernet giriş türü: Gigabit Ethernet (10/100/1000), Temel açma kapama RJ-45 Ethernet giriş sayısı: 48. Adres tablosu boyutu: 16000 Kayıt, Yönlendirme/geçiş kapasitesi: 176 Gbit/s. Ağ standartı: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE.... Ethernet üzerinden güç desteği (PoE). Raf montajı

Yönetim özellikleri		Performans	
Anahtar tipi *	Gözetilmiş	MTBF aralığı	562941 Saat
Anahtar katmanı	L2/L3	Enerji yönetimi	
Servis kalitesi (QoS) desteği	✓	Güç kaynağı *	AC
Bağlantı		Güç kaynağı dahil *	✓
Temel açma kapama RJ-45 Ethernet giriş sayısı *	48	AC girdi voltajı	100 - 240 V
Temel açma kapama RJ-45 Ethernet giriş türü *	Gigabit Ethernet (10/100/1000)	AC girdi frekansı	50/60 Hz
SFP+ modülü yuva sayısı	4	Güç tüketimi (maksimum)	470,1 W
Ağ Bağlantıları		güç koruma özellikleri	Dalgalanma koruması
Ağ standartı *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Ethernet üzerindeki Güç (PoE)	
	10G desteği *	Ethernet üzerinden güç desteği (PoE) *	✓
	VLAN desteği	Ethernet bütçesi üzerindeki toplam güç	375 W
		Çevresel koşullar	
Veri aktarımı		Çalışma ısı aralığı	-20 - 50 °C
Yönlendirme/geçiş kapasitesi *	176 Gbit/s	Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
İlerletme hızı	130,9 Mpps	Çalıştırma nem aralığı	10 - 95%
Adres tablosu boyutu *	16000 Kayıt	Çalışmama nemi	10 - 95%
Jumbo Frames desteği	✓	Isı yayımı	324,495 BTU/s
Jumbo çerçeveler	9000	Ağırlık & boyutlar	
Güvenlik		Genişlik	440 mm
DHCP özellikleri	DHCP Option 82, DHCP client, DHCP relay, DHCPv6 client	Derinlik	270 mm
		Yükseklik	43 mm
		Ağırlık	5,64 kg
		Ambalajlama bilgisi	
		Ambalaj genişliği	508 mm
		Ambalaj derinliği	394 mm

Çoğa gönderim özellikleri		Ambalajlama bilgisi	
Multicast desteği	✓	Ambalaj yüksekliği	90 mm
Tasarım		Paket ağırlığı	12,4 kg
Raf montajı *	✓		
Performans			
Dahili hafıza	512 MB		
Flash bellek	32 MB		



4718937636419

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.