

ZYXEL

Zyxel XGS1250-12 Gözetilmiş L2 10G Ethernet (100/1000/10000) Gri

Marka : Zyxel

Ürün kodu: XGS1250-12-ZZ0102F

Ürün Adı : XGS1250-12




Zyxel XGS1250-12. Anahtar tipi: Gözetilmiş, Anahtar katmanı: L2. Temel açma kapama RJ-45 Ethernet giriş türü: 10G Ethernet (100/1000/10000), Temel açma kapama RJ-45 Ethernet giriş sayısı: 11. Tam iki taraflı baskı. Adres tablosu boyutu: 16000 Kayıt, Yönlendirme/geçiş kapasitesi: 96 Gbit/s. Ağ standardı: IEEE 802.3, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Güç bağlantısı: DC giriş jakı. Duvara monte



Yönetim özellikleri		Çoğa gönderim özellikleri	
Anahtar tipi *	Gözetilmiş	Multicast desteği	✓
Anahtar katmanı	L2		
Servis kalitesi (QoS) desteği	✓		
Web-tabanlı yönetim	✓		
MIB desteği	✓		
Bağlantı		Tasarım	
Temel açma kapama RJ-45 Ethernet giriş sayısı *	11	Raf montajı *	✗
Temel açma kapama RJ-45 Ethernet giriş türü *	10G Ethernet (100/1000/10000)	İstiflenebilir *	✗
SFP+ modülü yuva sayısı	1	Ürün rengi	Gri
Güç bağlantısı	DC giriş jakı	Muhafaza malzemesi	Alüminyum, Ütü
Ağ Bağlantıları		Reset tuşu	✓
Ağ standardı *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	İletişim LED göstergeleri	✓
10G desteği *	✓	Kullanılmayan fan desteği	✓
Bağlantı geçidi aynalama	✓	Duvara monte	✓
Tam iki taraflı baskı	✓	DIN ray monteleme	✗
Akış kontrol desteği	✓	Fan sayısı	1 fan(lar)
Bağlantı kümeleme	✓	Enerji yönetimi	
Yayım akımı kontrolü	✓	Güç kaynağı *	AC
Auto MDI/MDI-X	✓	Güç kaynağı dahil *	✓
Ethernet LAN veri transfer hızı	10,100,1000,2500,10000 Mbit/s	AC girdi voltajı	100 - 240 V
VLAN desteği	✓	AC girdi frekansı	50/60 Hz
Veri aktarımı		Güç tüketimi (maksimum)	20,06 W
Yönlendirme/geçiş kapasitesi *	96 Gbit/s	Ethernet üzerindeki Güç (PoE)	
		Ethernet üzerinden güç desteği (PoE) *	✗
		Çevresel koşullar	
		Çalışma ısı aralığı	0 - 40 °C
		Depolama sıcaklığı aralığı (Celsius)	-40 - 70 °C
		Çalıştırma nem aralığı	10 - 90%
		Çalışmama nemi	10 - 90%

Veri aktarımı		Ağırlık & boyutlar	
İlerletme hızı	71,42 Mpps	Genişlik	250 mm
Adres tablosu boyutu *	16000 Kayıt	Derinlik	104 mm
Jumbo Frames desteği	✓	Yükseklik	27 mm
Jumbo çerçeveler	12000	Ağırlık	783 g
Güvenlik		Lojistik veri	
DHCP özellikleri	DHCP client	Uyumlu Sistem (HS) kodu	85176990
IGMP aramak	✓		



4718937634453

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.